



dietrich
dämmen | gestalten | schützen

VIEW

V-Line 1 way 6 – RAL 2010 | Signal orange

V-Line 1 way 6 | RAL colors

Dietrich Isol AG

<https://www.dietrich-isol.ch> | info@dietrich-isol.ch

Type: Wood | Acoustic-Panel

| | |
|---------------------------------------|---|
| mtextur ID | 109312 |
| Manufacturer | Dietrich Isol AG |
| Manufacturer-Email | info@dietrich-isol.ch |
| Product Line | V-Line 1 way 6 RAL colors |
| Material Name | V-Line 1 way 6 – RAL 2010 Signal orange |
| Type | Wood / Acoustic-Panel |
| eBKP | C 2.2 Innenwandkonstruktion / C 2.2 Internal walls / G 3.2 Finished wall coverings / G 3.2 Wandbekleidung / G 4.2 Deckenbekleidung / G 4.2 Finished ceiling coverings |
| IFC | lfcCovering / lfcWall |
| Area of application (mtextur Classic) | Inside / Wall / Ceiling |
| Delivery zones | CH / LI |
| Size of the CAD & BIM texture | Height: 2400.0 mm / Width: 2400.0 mm |

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

| | |
|-----------------------|---|
| max. Length / Format | Length = 1200 mm / Width = 600 mm / Thickness = 25 mm |
| min. Format | Length = 1200 mm / Width = 600 mm / Thickness = 25 mm |
| Weight | 8.21 kg/Stk |
| Thermal Conductivity | 0.081 W/mK |
| Factor U | 2.088 W/mK2 |
| Fire protection class | RF 1 |
| Slip resistance value | 0.309 |
| Certificates | ECO 1 zertifiziert |

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.