



CUT LENGTHWISE



CUT CROSSWISE

VIEW

SAGLAN (035) TC 22

SAGLAN Druckfeste Platten

Sager AG

<http://www.sager.ch/> | info@sager.ch

Type: Insulation | Cemented

Mit Strichmarkierung

Druckfeste Dämmplatten für die Steildachdämmung mit sichtbaren Sparren und begehbare Estrichböden unter Holz- und Spanplatten. Ebenfalls möglich beim Beton- und Hallensteildach oder beim Hallenflachdach auf Profilblech.

mtextur ID	20987
Manufacturer	Sager AG
Manufacturer-Email	info@sager.ch
Product Line	SAGLAN Druckfeste Platten
Product Line Info	Druckfeste Dämmplatten für die Steildachdämmung mit sichtbaren Sparren und begehbare Estrichböden unter Holz- und Spanplatten. Ebenfalls möglich beim Beton- und Hallensteildach oder beim Hallenflachdach auf Profilblech.
Material Name	SAGLAN (035) TC 22
Type	Insulation / Cemented
Material Info	Mit Strichmarkierung
eBKP	C 1.2 Abdichtung, Dämmung und Bodenplatte / C 1.2 Waterproofing/insulation below ground slab
IFC	IfcCovering
Area of application (mtextur Classic)	Inside / Floor / Ceiling / Roof Outside / Floor / Ceiling / Roof
Delivery zones	CH / LI
Size of the CAD & BIM texture	Height: 400.0 mm / Width: 400.0 mm

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 1250 mm / Width = 600 mm / Thickness = 220 mm
min. Format	Length = 1250 mm / Width = 600 mm / Thickness = 60 mm
Weight	68.0 kg/m³
Thermal Conductivity	0.035 W/mK
Fire protection class	6q.3 A1
Characteristics Info	Schalldämmplatten für Leichtbau-Trennwände

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:
In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.