



VIEW

**Puroliss – RAL 6005 | Moss green**  
**PUROLISS | RAL & NCS**  
**Walo Bertschinger**

<http://walo.ch> | [bodenbelaege@walo.ch](mailto:bodenbelaege@walo.ch)

**Type:**    **Plastic | Polyurethan**

Synthetic floor cover | Real colour Samples > Domanda

Shiny Surface

mtextur ID	30668
Manufacturer	<a href="#">Walo Bertschinger</a>
Manufacturer-Email	<a href="mailto:bodenbelaege@walo.ch">bodenbelaege@walo.ch</a>
Product Line	<a href="#">PUROLISS   RAL &amp; NCS</a>
Product Line Info	Shiny Surface
Material Name	<a href="#">Puroliss – RAL 6005   Moss green</a>
Type	Plastic / Polyurethan
Material Info	Synthetic floor cover   Real colour Samples > Domanda
eBKP	G 2.2 Bodenbelag / G 2.2 Finished floor coverings
IFC	lfcCovering / lfcSlab.Floor
Area of application (mtextur Classic)	Inside / Floor
Delivery zones	CH / DE / LI
Size of the CAD & BIM texture	Height: 500.0 mm / Width: 500.0 mm

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Thickness = 3 mm
min. Format	Thickness = 2 mm
Characteristics Info	<p>Polyurethanharz. Trittfreundlich, leicht schalldämmend, porenfreie Oberfläche mit Mattversiegelung. Farben nach RAL oder NCS möglich. d = 2–3 mm.</p> <p>Résine de polyuréthane. Bon confort de marche, effet légèrement insonorisant, exempt de pores, surface vitrifiée mate. Couleurs selon RAL ou NCS disponibles. Epaisseur = 2 à 3 mm.</p> <p>Resina poliuretanica. Piacevole al calpestio, leggermente insonorizzante, superficie senza pori con sigillatura opaca. Possibilità di tinte a norma RAL o NCS. d = 2–3 mm.</p>

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.