



VIEW

**Rhomboid closed – RAL 3009 | Oxide red**  
**Outdoor application | Rhomboid closed**  
**Schilliger Holz**

<http://www.schilliger.ch> | [info@schilliger.ch](mailto:info@schilliger.ch)

**Type:** Wood | Facade

mtextur ID	53100
Manufacturer	Schilliger Holz
Manufacturer-Email	<a href="mailto:info@schilliger.ch">info@schilliger.ch</a>
Product Line	<a href="#">Outdoor application</a>   <a href="#">Rhomboid closed</a>
Material Name	<a href="#">Rhomboid closed – RAL 3009</a>   <a href="#">Oxide red</a>
Type	Wood / Facade
eBKP	C 2.1 Aussenwandkonstruktion / C 2.1 External walls / E 2.4 Facade systems / E 2.4 Fassadensystem
IFC	<a href="#">IfcCovering</a> / <a href="#">IfcCurtainWall</a> / <a href="#">IfcWall</a>
Area of application (mtextur Classic)	Outside / Wall / Facade
Delivery zones	CH / LI

**IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:**

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 3000 mm / Width = 110 mm / Thickness = 20 mm
min. Format	Length = 6000 mm / Width = 135 mm / Thickness = 27 mm
Characteristics Info	<p>Qualität: Schwachholz A/N1/N2/I; Starkholz A/N1/N2</p> <p>Sortiment: Sichtnut/Steilfas/Fas/Rundprofil/Akustik/Rhomboid/Nut und Nut/Nut und Kamm/ Einseitig oder wechselseitig gefälzt/Stülpchalung/T-Leistenschalung/Spund</p> <p>Oberfläche: sägeroh/gehobelt und geschliffen/gehobelt/ gerundet/gerillt</p> <p>Holzarten: Fi/Ta (Douglasie/Lärche auf Anfrage)</p> <p>Länge: 3.00 – 6.00 (Standard 5.00)</p> <p>Breite: 110 mm/135 mm</p> <p>Dicke: 20- 22 mm; 27 mm (Sichtnut/Steilfas/Fas/Chalet/Nut und Kamm/Spund); 34-80 mm (Nut und Kamm)</p> <p>Schnittart: rift/halbrift /mittengetrennt</p>

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.