



**Argolite**

VIEW

## 1040 Strato soft (SS)

HPL Embossings

Argolite

<http://www.argolite.ch> | [verkauf@argolite.ch](mailto:verkauf@argolite.ch)

**Type:** HPL | Surface / Structure

Texture continuous

mtextur ID	<a href="#">64516</a>
Manufacturer	<a href="#">Argolite</a>
Manufacturer-Email	<a href="mailto:verkauf@argolite.ch">verkauf@argolite.ch</a>
Product Line	<a href="#">HPL Embossings</a>
Material Name	<a href="#">1040 Strato soft (SS)</a>
Type	HPL / Surface / Structure
Material Info	Texture continuous
eBKP	C 2.2 Innenwandkonstruktion / C 2.2 Internal walls / C 4.1 Decke / C 4.1 Suspended slabs / G 3.2 Finished wall coverings / G 3.2 Wandbekleidung / G 4.2 Deckenbekleidung / G 4.2 Finished ceiling coverings / I 2.2 Freestanding walls / I 2.2 Frei stehende Wand
IFC	IfcCovering / IfcFurniture
Area of application (mtextur Classic)	Inside / Wall / Ceiling / Furniture
Delivery zones	CH / DE / FR / IT / AT / LI

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 3300 mm / Width = 1600 mm / Thickness = 30 mm
min. Format	Length = 2160 mm / Width = 1060 mm / Thickness = 1 mm
Quality	SN EN 438
EN/DIN	SN EN 438
ISO	SN EN ISO 9001, SN EN ISO 14001, ISO 14250
Weight	1400.0 kg/m <sup>3</sup>
Embodied CO <sub>2</sub>	EPD Homepage, Anfrage ECO <sub>2</sub>
Factor U	0.3 W/mK2
Fire protection class	4.3 -5.3
Dimension tolerance length/width	-0 / +20 mm
Lightfastness	Innenanwendung
Characteristics Info	<ul style="list-style-type: none"> <li>• Sizes: 2600 mm * 1300 mm, 3300 mm * 1300 mm</li> <li>• Material weight, density: approx. 1400 - 1970 kg/m<sup>3</sup> depending on the version</li> <li>• Versions: For covering (non-self-supporting), compact (self-supporting), chipboard covered, MDF covered, Norrit covered (RF1), magnetic adhesive, with vapor barrier, anti-fingerprint</li> <li>• Possible applications: Furniture, fronts, (bonded) wall panels, (sliding) door panels.</li> <li>• Not suitable for kitchen backsplashes</li> </ul>

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.