



**Argolite**

VIEW

## 4006 Starlights (420)

HPL Surface finishes

Argolite

<http://www.argolite.ch> | [verkauf@argolite.ch](mailto:verkauf@argolite.ch)

**Type:** HPL | Natural Fiber

Texture continuous

mtextur ID	98374
Manufacturer	Argolite
Manufacturer-Email	verkauf@argolite.ch
Product Line	HPL Surface finishes
Material Name	4006 Starlights (420)
Type	HPL / Natural Fiber
Material Info	Texture continuous
eBKP	C 2.2 Innenwandkonstruktion / C 2.2 Internal walls / C 4.1 Decke / C 4.1 Suspended slabs / G 3.2 Finished wall coverings / G 3.2 Wandbekleidung
IFC	IfcCovering / IfcFurniture / IfcWall
Area of application (mtextur Classic)	Inside / Wall / Ceiling / Furniture
Delivery zones	CH / DE / FR / IT / AT / LI

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 2600 mm / Width = 1300 mm / Thickness = 30 mm
min. Format	Length = 2600 mm / Width = 1300 mm / Thickness = 1 mm
Quality	SN EN 438
EN/DIN	SN EN 438
ISO	SN EN ISO 9001, SN EN ISO 14001, ISO 14269
Weight	1400.0 kg/m <sup>3</sup>
Embodied CO <sub>2</sub>	EPD Homepage, Anfrage ECO <sub>2</sub>
Thermal Conductivity	0.3 W/mK
Fire protection class	4.3
Dimension tolerance length/width	-0 / +20 mm
Lightfastness	Innenanwendung
Characteristics Info	<ul style="list-style-type: none"> <li>• HPL 0.9 mm and Compact</li> <li>• Sizes: 2600 mm * 1300 mm</li> <li>• Material weight, density: approx. 1400 - 1970 kg/m<sup>3</sup> depending on version</li> <li>• Versions: For covering (non-self-supporting), compact (self-supporting), chipboard covered, MDF covered, Norrit covered (RF1), magnetic adhesive, with vapor barrier</li> <li>• Possible applications: Furniture, fronts, (bonded) wall cladding, (sliding) door panels.</li> </ul>

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.